



NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.

Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com

Website: www.ntnamericas.com

Item # UCP214D1, Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type



[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)

Order Now

Ordering Options

FIND A DISTRIBUTOR

CONTACT NTN CUSTOMER SUPPORT SPECIALIST


ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)

Technical Specifications

Type	Pillow Block Unit
Bearing Type	Ball Bearing

Locking Device	Set Screw
Seal Type	Contact
Seal Material	Nitrile Rubber
Bearing Number	UC214D1
Housing Number	P214D1
Housing Material	Cast Iron
Housing Construction	1 Piece
Performance	Light Duty
End Type	Open
Dynamic Load Rating	62000 N 62.00 kN
Static Load Rating	44000 N 44.00 kN
Rotational Speed [Max]	2300 RPM
Weight	6.529 kg
Operating Temperature Range	-40 to 120 °C
Lubrication	Relubricatable

Dimensional Specifications



Pillow Block Unit, Cast Housing, Set Screw, UCP/UCPX Type - Dimensions

d	70.000 mm
J	210.0 mm

L	266.0 mm
A	72.0 mm
H	79.4 mm
H1	27.0 mm
H2	157.0 mm
L1	77.0 mm
N	25.0 mm
N1	28.0 mm
B	74.600 mm
S	30.2 mm
F	8.8 mm