


Square flanged units cast housing Set screw type




Press steel dust cover type (Open end)
S-UCF...D1

Cast dust cover type (Open end)
C-UCF...D1

Shaft dia.	Unit number ¹⁾	Nominal dimensions									Bolt size	Bearing number
		mm					inch					
		<i>L</i>	<i>J</i>	<i>A</i> ₂	<i>A</i> ₁	<i>A</i>	<i>N</i>	<i>A</i> ₀	<i>B</i>	<i>S</i>		
12 1½	UCF201D1 UCF201-008D1	86 3⅜	64 2⅜	15 19/32	11 7/16	25.5 1	12 15/32	33.3 1⅝	31 1.2205	12.7 0.500	M10 ⅜	UC201D1 UC201-008D1
15 9/16 5/8	UCF202D1 UCF202-009D1 UCF202-010D1	86 3⅜	64 2⅜	15 19/32	11 7/16	25.5 1	12 15/32	33.3 1⅝	31 1.2205	12.7 0.500	M10 ⅜	UC202D1 UC202-009D1 UC202-010D1
17 1⅛	UCF203D1 UCF203-011D1	86 3⅜	64 2⅜	15 19/32	11 7/16	25.5 1	12 15/32	33.3 1⅝	31 1.2205	12.7 0.500	M10 ⅜	UC203D1 UC203-011D1
20 ¾	UCF204D1 UCF204-012D1	86 3⅜	64 2⅜	15 19/32	11 7/16	25.5 1	12 15/32	33.3 1⅝	31 1.2205	12.7 0.500	M10 ⅜	UC204D1 UC204-012D1
25 1⅜ 7/8 1⅝ 1	UCF205D1 UCF205-013D1 UCF205-014D1 UCF205-015D1 UCF205-100D1	95 3¾	70 2¾	16 5/8	13 ½	27 1⅛	12 15/32	35.8 1⅜	34.1 1.3425	14.3 0.563	M10 ⅜	UC205D1 UC205-013D1 UC205-014D1 UC205-015D1 UC205-100D1
30 1⅛ 1⅝ 1⅜ 1¼	UCF206D1 UCF206-101D1 UCF206-102D1 UCF206-103D1 UCF206-104D1	108 4¼	83 3⅞	18 45/64	13 ½	31 1⅞	12 15/32	40.2 1⅞	38.1 1.5000	15.9 0.626	M10 ⅜	UC206D1 UC206-101D1 UC206-102D1 UC206-103D1 UC206-104D1
35 1¼ 1⅝ 1⅜ 1⅞	UCF207D1 UCF207-104D1 UCF207-105D1 UCF207-106D1 UCF207-107D1	117 4⅞	92 3⅝	19 ¾	15 19/32	34 1⅞	14 35/64	44.4 1¾	42.9 1.6890	17.5 0.689	M12 7/16	UC207D1 UC207-104D1 UC207-105D1 UC207-106D1 UC207-107D1
40 1½ 1⅞	UCF208D1 UCF208-108D1 UCF208-109D1	130 5⅝	102 4⅙	21 53/64	15 19/32	36 1⅜	16 5/8	51.2 2⅙	49.2 1.9370	19 0.748	M14 ½	UC208D1 UC208-108D1 UC208-109D1
45 1⅝ 1⅞ 1¾	UCF209D1 UCF209-110D1 UCF209-111D1 UCF209-112D1	137 5⅜	105 4⅞	22 55/64	16 5/8	38 1½	16 5/8	52.2 2⅙	49.2 1.9370	19 0.748	M14 ½	UC209D1 UC209-110D1 UC209-111D1 UC209-112D1

Remarks: 1) These numbers indicate relubricatable type. If maintenance free type is needed, please order without suffix "D1".
Note: Please refer to page 44 for size of grease fitting.

Square flanged units cast housing Set screw type



Press steel dust cover type (Open end)
S-UCF...D1


Cast dust cover type (Open end)
C-UCF...D1

Shaft dia.	Unit number ¹⁾	Nominal dimensions									Bolt size	Bearing number
		mm					inch					
		<i>L</i>	<i>J</i>	<i>A</i> ₂	<i>A</i> ₁	<i>A</i>	<i>N</i>	<i>A</i> ₀	<i>B</i>	<i>S</i>		
50 1 ¹³ / ₁₆ 1 ⁷ / ₈ 1 ¹⁵ / ₁₆ 2	UCF210D1 UCF210-113D1 UCF210-114D1 UCF210-115D1 UCF210-200D1	143	111	22	16	40	16	54.6	51.6	19	M14	UC210D1 UC210-113D1 UC210-114D1 UC210-115D1 UC210-200D1
55 2 2 ¹ / ₁₆ 2 ¹ / ₈ 2 ³ / ₁₆	UCF211D1 UCF211-200D1 UCF211-201D1 UCF211-202D1 UCF211-203D1	162	130	25	18	43	19	58.4	55.6	22.2	M16	UC211D1 UC211-200D1 UC211-201D1 UC211-202D1 UC211-203D1
60 2 ¹ / ₄ 2 ⁵ / ₁₆ 2 ³ / ₈ 2 ⁷ / ₁₆	UCF212D1 UCF212-204D1 UCF212-205D1 UCF212-206D1 UCF212-207D1	175	143	29	18	48	19	68.7	65.1	25.4	M16	UC212D1 UC212-204D1 UC212-205D1 UC212-206D1 UC212-207D1
65 2 ¹ / ₂ 2 ⁹ / ₁₆	UCF213D1 UCF213-208D1 UCF213-209D1	187	149	30	22	50	19	69.7	65.1	25.4	M16	UC213D1 UC213-208D1 UC213-209D1
70 2 ⁵ / ₈ 2 ¹¹ / ₁₆ 2 ³ / ₄	UCF214D1 UCF214-210D1 UCF214-211D1 UCF214-212D1	193	152	31	22	54	19	75.4	74.6	30.2	M16	UC214D1 UC214-210D1 UC214-211D1 UC214-212D1
75 2 ¹³ / ₁₆ 2 ⁷ / ₈ 2 ¹⁵ / ₁₆ 3	UCF215D1 UCF215-213D1 UCF215-214D1 UCF215-215D1 UCF215-300D1	200	159	34	22	56	19	78.5	77.8	33.3	M16	UC215D1 UC215-213D1 UC215-214D1 UC215-215D1 UC215-300D1
80 3 ¹ / ₁₆ 3 ¹ / ₈ 3 ³ / ₁₆	UCF216D1 UCF216-301D1 UCF216-302D1 UCF216-303D1	208	165	34	22	58	23	83.3	82.6	33.3	M20	UC216D1 UC216-301D1 UC216-302D1 UC216-303D1

Remarks: 1) These numbers indicate relubricatable type. If maintenance free type is needed, please order without suffix "D1".

Note: Please refer to page 44 for size of grease fitting.

Square flanged units cast housing Set screw type



Shaft dia.	Unit number ¹⁾	Nominal dimensions									Bolt size	Bearing number
		mm					inch					
mm inch		<i>L</i>	<i>J</i>	<i>A</i> ₂	<i>A</i> ₁	<i>A</i>	<i>N</i>	<i>A</i> ₀	<i>B</i>	<i>S</i>	mm inch	
85 3¼ 3 ⁵ / ₁₆ 3 ⁷ / ₁₆	UCF217D1 UCF217-304D1 UCF217-305D1 UCF217-307D1	220	175	36	24	63	23	87.6	85.7	34.1	M20 ¾	UC217D1 UC217-304D1 UC217-305D1 UC217-307D1
90 3½	UCF218D1 UCF218-308D1	235	187	40	24	68	23	96.3	96	39.7	M20 ¾	UC218D1 UC218-308D1

Remarks: 1) These numbers indicate relubricatable type. If maintenance free type is needed, please order without suffix "D1".

Note: Please refer to page 44 for size of grease fitting.