


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # HK1216LL, Drawn Cup Needle Roller Bearing - HK, HMK Type, Double Sealed


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications
Type

Drawn Cup Needle Roller Bearing

Bore Type	Round
Material	Steel
Cage Material	Steel
Limiting Speed - Grease	10000 RPM
Seal Material	Nitrile Rubber
Bearing Type	Needle Roller Bearing
Configuration	One
Enclosure	Double Sealed
Radial Internal Clearance	CN
Oil Hole	w/o Oil Hole
Static Load Rating	1640 lbf 7300 N 7.30 kN
Dynamic Load Rating	1480 lbf 6600 N 6.60 kN
Weight	0.026 lb 0.012 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C

Dimensional Specifications



Drawn Cup Needle Roller Bearing - HK, HMK Type, Double Sealed - Dimensions

Fw	0.4724 in 12.000 mm
D	0.7087 in 18.000 mm
C	0.6299 in 16.000 mm