



Image may differ from product. See technical specification for details.

# 6203-ZNR

#### Deep groove ball bearing with snap ring and integral sealing

Single row deep groove ball bearing, with snap ring groove and seals or shields on one or both sides, are particularly versatile, have low friction and are optimized for low noise and low vibration, which enables high rotational speeds. They accommodate radial and axial loads in both directions, are easy to mount, and require less maintenance than other bearing types. The snap ring, fitted in an annular groove in the outer ring, facilitates axial location of the bearings within their housings. The integral sealing can significantly prolong bearing service life because it keeps lubricant in the bearings and contaminants out.

- Snap ring facilitates axial location within housing
- Integral sealing prolongs bearing service life
- Typical benefits of single row deep groove ball bearings

# Overview

## **Dimensions**

Bore diameter	17 mm
Outside diameter	40 mm
Width	12 mm

## Performance

Basic dynamic load rating	9.95 kN
Basic static load rating	4.75 kN
Reference speed	38 000 r/min
Limiting speed	24 000 r/min
SKF performance class	SKF Explorer


# **Properties**

Filling slots	Without
Number of rows	1
Locating feature, bearing outer ring	Snap ring (fitted)
Bore type	Cylindrical
Cage	Sheet metal
Matched arrangement	No
Radial internal clearance	CN
Material, bearing	Bearing steel
Coating	Without
Sealing	Shield on one side
Sealing type	Non-contact
Lubricant	None
Relubrication feature	Without

# Logistics


Product net weight	0.0656 kg
eClass code	23-05-08-01
UNSPSC code	31171504

# **Technical specification**



# Dimensions

d	17 mm	Bore diameter
$t_{\Deltadmp}$	-0.007 – 0 mm	Deviation limits of mid-range bore diameter
D	40 mm	Outside diameter
$t_{\DeltaDmp}$	-0.009 – 0 mm	Deviation limits of mid-range outside diameter
В	12 mm	Width
$t_{\Delta Bs}$	-0.06 - 0 mm	Deviation limits of ring width
$d_1$	≈ 24.5 mm	Shoulder diameter
D <sub>2</sub>	≈ 34.98 mm	Recess diameter
$D_3$	38.1 mm	Diameter of snap ring groove
D <sub>4</sub>	44.6 mm	Outside diameter of snap ring
b	1.35 mm	Width of snap ring groove
С	2.06 mm	Distance from outer ring side face to snap ring groove
f	1.12 mm	Width of snap ring
r <sub>0</sub>	max. 0.4 mm	Bottom radius of snap ring groove
r <sub>1,2</sub>	min. 0.6 mm	Chamfer dimension
	P6 and tighter width tolerance	ISO tolerance class for dimensions



# Abutment dimensions

da	min. 21.2 mm	Diameter of shaft abutment
da	max. 24.4 mm	Diameter of shaft abutment
Da	max. 35.8 mm	Diameter of housing abutment
$D_b$	min. 46 mm	Diameter of snap ring recess in the housing
ba	min. 1.5 mm	Width of snap ring recess in the housing
Ca	max. 3.18 mm	Distance from outer ring side face to snap ring back face
ra	max. 0.6 mm	Radius of shaft or housing fillet

# Calculation data

SKF performance class		SKF Explorer
Basic dynamic load rating	С	9.95 kN
Basic static load rating	C <sub>0</sub>	4.75 kN
Fatigue load limit	Pu	0.2 kN
Reference speed		38 000 r/min
Limiting speed		24 000 r/min
Minimum load factor	k <sub>r</sub>	0.025
Calculation factor	f <sub>0</sub>	13

### Tolerances of run-out

Range of section height at inner ring of assembled bearing	t <sub>Kia</sub>	4 μm
Maximum run-out of inner ring side face to the bore	t <sub>Sd</sub>	7 μm
Maximum axial run-out of inner ring of assembled bearing	t <sub>Sia</sub>	7 μm
Range of section height at outer ring of assembled bearing	t <sub>Kea</sub>	7 μm
Perpendicularity of outer ring outside surface	t <sub>SD</sub>	4 μm
Maximum axial run-out of outer ring of assembled bearing	t <sub>Sea</sub>	8 μm
ISO tolerance class for geometrical tolerances		P5

## Included products

Snap ring SP 40

## Tolerances and clearances

### **GENERAL BEARING SPECIFICATIONS**

- Tolerances: Normal (metric), P6, P5, Normal (inch)
- Radial internal clearance: Classes C2 to C5

### **BEARING INTERFACES**

- Seat tolerances for standard conditions
- Tolerances and resultant fits

## **More Information**

#### **Engineering** Tools Product details information Single row deep groove ball bearings SKF Product select Principles of rolling bearing selection Stainless steel deep groove ball SimPro Quick General bearing knowledge Bearing Frequency Calculator Single row deep groove ball bearings Bearing selection process with filling slots LubeSelect for SKF greases Bearing interfaces Double row deep groove ball bearings Heater selection tool Seat tolerances for standard General bearing specifications conditions Loads Selecting internal clearance Temperature limits Lubrication Permissible speed Sealing, mounting and dismounting Designation system Bearing failure and how to prevent it



## Terms of use

By accessing and using this website / app owned and published by AB SKF (publ.) ( $556007-3495 \cdot Gothenburg$ ) ("SKF"), you agree to the following terms and conditions:

#### Warranty Disclaimer and Limitation of Liability

Although every care has been taken to assure the accuracy of the information on this website / app, SKF provides this information "AS IS" and DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. You acknowledge that your use of this website / app is at your sole risk, that you assume full responsibility for all costs associated with use of this website / app, and that SKF shall not be liable for any direct, incidental, consequential, or indirect damages of any kind arising out of your access to, or use of the information or software made available on this website / app.

Any warranties and representations in this website / app for SKF products or services that you purchase or use will be subject to the agreed upon terms and conditions in the contract for such product or service.

Further, for non-SKF websites / apps that are referenced in our website / app or where a hyperlink appears, SKF makes no warranties concerning the accuracy or reliability of the information in these websites / apps and assumes no responsibility for material created or published by third parties contained therein. In addition, SKF does not warrant that this website / app or these other linked websites / apps are free from viruses or other harmful elements.

#### **Third Party Services**

When viewing YouTube content via the SKF website(s) (i.e. using YouTube API Services), you agree to be bound by the YouTube Terms of Service.

#### Copyright

Copyright in this website / app copyright of the information and software made available on this website / app rest with SKF or its licensors. All rights are reserved. All licensed material will reference the licensor that has granted SKF the right to use the material. The information and software made available on this website / app may not be reproduced, duplicated, copied, transferred, distributed, stored, modified, downloaded or otherwise exploited for any commercial use without the prior written approval of SKF. However, it may be reproduced, stored and downloaded for use by individuals without prior written approval of SKF. Under no circumstances may this information or software be supplied to third parties.

This website /app includes certain images used under license from Shutterstock, Inc.

#### Trademarks and Patents

All trademarks, brand names, and corporate logos displayed on the website / app are the property of SKF or its licensors, and may not be used in any way without prior written approval by SKF. All licensed trademarks published on this website / app reference the licensor that has granted SKF the right to use the trademark. Access to this website / app does not grant to the user any license under any patents owned by or licensed to SKF.

#### Changes

SKF reserves the right to make changes or additions to this website / app at any time.