


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # HK2518L, Drawn Cup Needle Roller Bearing - HK, HMK Type, Single Sealed


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
FIND A DISTRIBUTOR
CONTACT NTN CUSTOMER SUPPORT SPECIALIST
ORDER THROUGH NTN DOL (AUTHORIZED DISTRIBUTORS ONLY)
Technical Specifications
Type

Drawn Cup Needle Roller Bearing

Bore Type	Round
Material	Steel
Cage Material	Steel
Limiting Speed - Grease	6500 RPM
Seal Material	Nitrile Rubber
Bearing Type	Needle Roller Bearing
Configuration	One
Enclosure	Single Sealed
Radial Internal Clearance	CN
Oil Hole	w/o Oil Hole
Static Load Rating	5400 lbf 24000 N 24.00 kN
Dynamic Load Rating	3550 lbf 15900 N 15.90 kN
Weight	0.068 lb 0.031 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C

Dimensional Specifications



Drawn Cup Needle Roller Bearing - HK, HMK Type, Single Sealed - Dimensions

Fw	0.9843 in 25.000 mm
D	1.2598 in 32.000 mm
C	0.7087 in 18.000 mm