


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com

Adapter, Sleeve with Lockwasher / Lockplate



1 2 3 4 5 »

Item #	d1	d2	C	L
<u>H2311X</u>	1.9685 in 50.000 mm	2.9528 in 75.000 mm	0.4724 in 12.000 mm	2.3228 in 59.000 mm
<u>H2312X</u>	2.1654 in 55.000 mm	3.1496 in 80.000 mm	0.5118 in 13.000 mm	2.4409 in 62.000 mm
<u>H2313X</u>	2.3622 in 60.000 mm	3.3465 in 85.000 mm	0.5512 in 14.000 mm	2.5591 in 65.000 mm
<u>H2315</u>	2.5591 in 65.000 mm	3.8583 in 98.000 mm	0.5906 in 15.000 mm	2.8740 in 73.000 mm
<u>H2315X</u>	2.5591 in 65.000 mm	3.8583 in 98.000 mm	0.5906 in 15.000 mm	2.8740 in 73.000 mm

Item #	d1	d2	C	L
<u>H2316</u>	2.7559 in 70.000 mm	4.1339 in 105.000 mm	0.6693 in 17.000 mm	3.0709 in 78.000 mm
<u>H2316X</u>	2.7559 in 70.000 mm	4.1339 in 105.000 mm	0.6693 in 17.000 mm	3.0709 in 78.000 mm
<u>H2317</u>	2.9528 in 75.000 mm	4.3307 in 110.000 mm	0.7087 in 18.000 mm	3.2283 in 82.000 mm
<u>H2317X</u>	2.9528 in 75.000 mm	4.3307 in 110.000 mm	0.7087 in 18.000 mm	3.2283 in 82.000 mm
<u>H2318</u>	3.1496 in 80.000 mm	4.7244 in 120.000 mm	0.7087 in 18.000 mm	3.3858 in 86.000 mm
<u>H2319</u>	3.3465 in 85.000 mm	4.9213 in 125.000 mm	0.7480 in 19.000 mm	3.5433 in 90.000 mm
<u>H2319X</u>	3.3465 in 85.000 mm	4.9213 in 125.000 mm	0.7480 in 19.000 mm	3.5433 in 90.000 mm
<u>H2320</u>	3.5433 in 90.000 mm	5.1181 in 130.000 mm	0.7874 in 20.000 mm	3.8189 in 97.000 mm
<u>H2322</u>	3.9370 in 100.000 mm	5.7087 in 145.000 mm	0.8268 in 21.000 mm	4.1339 in 105.000 mm
<u>H2322X</u>	3.9370 in 100.000 mm	5.7087 in 145.000 mm	0.8268 in 21.000 mm	4.1339 in 105.000 mm
<u>H2324</u>	4.3307 in 110.000 mm	6.1024 in 155.000 mm	0.8661 in 22.000 mm	4.4094 in 112.000 mm
<u>H2326</u>	4.5276 in 115.000 mm	6.4961 in 165.000 mm	0.9055 in 23.000 mm	4.7638 in 121.000 mm
<u>H2328</u>	4.9213 in 125.000 mm	7.0866 in 180.000 mm	0.9449 in 24.000 mm	5.1575 in 131.000 mm
<u>H2330</u>	5.3150 in 135.000 mm	7.6772 in 195.000 mm	1.0236 in 26.000 mm	5.4724 in 139.000 mm

Item #	d1	d2	C	L
<u>H2332</u>	5.5118 in 140.000 mm	8.2677 in 210.000 mm	1.1024 in 28.000 mm	5.7874 in 147.000 mm
<u>H2334</u>	5.9055 in 150.000 mm	8.6614 in 220.000 mm	1.1417 in 29.000 mm	6.0630 in 154.000 mm
<u>H2336</u>	6.2992 in 160.000 mm	9.0551 in 230.000 mm	1.1811 in 30.000 mm	6.3386 in 161.000 mm
<u>H2338</u>	6.6929 in 170.000 mm	9.4488 in 240.000 mm	1.2205 in 31.000 mm	6.6535 in 169.000 mm
<u>H2340</u>	7.0866 in 180.000 mm	9.8425 in 250.000 mm	1.2598 in 32.000 mm	6.9291 in 176.000 mm
<u>H2344</u>	7.8740 in 200.000 mm	11.0236 in 280.000 mm	1.2598 in 32.000 mm	7.2047 in 183.000 mm