



Image may differ from product. See technical specification for details.

7214 ACCBM

Single row angular contact ball bearing with 25° contact angle

These single row angular contact ball bearings, with 25° contact angle, accommodate radial and axial loads acting simultaneously, where the axial load acts in one direction only. They have Normal axial internal clearance and are suitable for universal matching, where two bearings can be arranged back-to-back or face-to-face. They have a ball-centred brass cage. They can operate at 20% higher speeds than equivalent bearings with 40° contact angle.

- 25° contact angle
- Brass cage
- Suitable for universal matching
- Can operate at very high speeds
- Accommodate relatively high radial loads and large unilateral axial loads

Apžvalga

Dimensions

Bore diameter	70 mm
Outside diameter	125 mm
Width	24 mm
Contact angle	25 °

Performance

Basic dynamic load rating	83 kN
Basic static load rating	68 kN
Reference speed	6 700 r/min
Limiting speed	10 000 r/min
SKF performance class	SKF Explorer


Properties

Contact type	Normal contact (two-point contact)
Number of rows	1
Locating feature, bearing outer ring	None
Ring type	One-piece inner and outer rings
Cage	Machined brass
Matched arrangement	No
Universal matching bearing	Yes
Axial internal clearance	Not applicable
Matched condition (axial clearance/ preload)	Axial clearance CB
Material, bearing	Bearing steel
Coating	Without
Sealing	Without
Lubricant	None
Relubrication feature	Without

Logistics


Product net weight	1.17 kg
eClass code	23-05-08-03
UNSPSC code	31171531

Techninė specifikacija



Dimensions

d	70 mm	Bore diameter
D	125 mm	Outside diameter
B	24 mm	Width
d ₁	≈ 91.47 mm	Shoulder diameter of inner ring (large side face)
d ₂	≈ 80.29 mm	Shoulder diameter of inner ring (small side face)
D ₁	≈ 104.54 mm	Shoulder diameter of outer ring (large side face)
a	34 mm	Distance side face to pressure point
r _{1,2}	min. 1.5 mm	Chamfer dimension
r _{3,4}	min. 1 mm	Chamfer dimension



Abutment dimensions

d_a	min. 79 mm	Diameter of shaft abutment
D_a	max. 116 mm	Abutment diameter housing
D_b	max. 119 mm	Diameter of housing abutment
r_a	max. 1.5 mm	Radius of fillet
r_b	max. 1 mm	Radius of fillet

Calculation data

SKF performance class		SKF Explorer
Basic dynamic load rating	C	83 kN
Basic static load rating	C_0	68 kN
Fatigue load limit	P_U	2.9 kN
Reference speed		6 700 r/min
Limiting speed		10 000 r/min
Minimum axial load factor	A	0.022
Minimum radial load factor	k_r	0.095
Limiting value	e	0.68

SINGLE BEARING OR BEARING PAIR ARRANGED IN TANDEM

Calculation factor (single, tandem)	X	0.41
Calculation factor (single, tandem)	Y_0	0.38
Calculation factor (single, tandem)	Y_2	0.87

BEARING PAIR ARRANGED BACK-TO-BACK OR FACE-TO-FACE

Calculation factor (back-to-back, face-to-face)	X	0.67
Calculation factor (back-to-back, face-to-face)	Y_0	0.76
Calculation factor (back-to-back, face-to-face)	Y_1	0.92
Calculation factor (back-to-back, face-to-face)	Y_2	1.41

Tolerancijos ir suleidimai

GENERAL BEARING SPECIFICATIONS

- Tolerances: Normal (metric), P6, P5, Normal (inch)
- Internal clearance: CA+CB+CC, G
- Preload: GA+GB+GC

BEARING INTERFACES

- Seat tolerances for standard conditions
- Tolerances and resultant fit

Daugiau informacijos

 Product details	 Engineering information	 Tools
Designs and variants	Principles of rolling bearing selection	SKF Product select
General bearing specifications	General bearing knowledge	SimPro Quick
Loads	Bearing selection process	Bearing Frequency Calculator
Temperature limits	Bearing interfaces	LubeSelect for SKF greases
Permissible speed	Seat tolerances for standard conditions	Heater selection tool
Design considerations	Selecting internal clearance or preload	SKF mounting and dismounting instructions
Designation system	Lubrication	
	Sealing, mounting and dismounting	
	Bearing failure and how to prevent it	

Nuostatos ir sąlygos

Atverdami ir naudodami šią svetainę / programą, priklausančią bendrovei AB SKF ir jos skelbiamą (biržinė bendrovė) (556007-3495 Geteborgas) (toliau vadinama SKF), sutinkate su toliau nurodytomis sąlygomis ir nuostatomis:

Garantijos nepripažinimas ir atsakomybės ribojimas

Nors buvo imtasi visų priemonių siekiant užtikrinti informacijos šioje svetainėje / programoje tikslumą, SKF pateikia šią informaciją „KAIP YRA“ ir NEPRIPAŽIŠTA VISŲ GARANTIJŲ, IŠREIKŠTŲ AR NUMANOMŲ, ĮSKAITANT, BET NEAPSIRIBOJANT, NUMANOMŲ PREKYBOS GARANTIJŲ AR TINKAMUMO KONKREČIAM TIKSLUI. Pripažįstate, kad prisiimate visišką atsakomybę už visas išlaidas, susijusias su šios svetainės / programos naudojimu, ir riziką, kad SKF nebus atsakinga už jokią tiesioginę, atsitiktinę, logiškai atsirandančią ar netiesioginę bet kokio pobūdžio žalą, kilusią dėl to, kad atvėrėte svetainę / programą, naudojote informaciją ar programas, prieinamas šioje svetainėje / programoje.

Dėl SKF produktų ar paslaugų, kuriuos pirksite ar naudosite, garantijų ir pristatymų šioje svetainėje / programoje bus susitarta ir tai bus pažymėta sutarties dėl tokių produktų ar paslaugų sąlygose ir nuostatose.

Be to, SKF neteikia garantijų dėl ne SKF svetainės / programose, kurios nurodomos mūsų svetainėje / programoje ar kurioms nurodyta sąsajų sistema, pateikiamos informacijos tikslumo ar patikimumo ir neprisiima atsakomybės už čia trečiųjų šalių sukurtą ar paskelbtą medžiagą. Taip pat SKF negarantuoja, kad ši svetainė / programa ar kitos susietos svetainės / programos neturi virusų ar kitų žalingų elementų.

Trečiųjų šalių paslaugos

Žiūrėdami „YouTube“ turinį per SKF svetainę (-es) (t. y. naudodami „YouTube“ API paslaugas) sutinkate laikytis „YouTube“ [paslaugų teikimo sąlygų](#).

Autorių teisės

Šios svetainės / programos informacijos ar programų autorių teisę turi SKF ar jos licencijos turėtojai. Visos teisės priklauso autoriams. Visa licencijuota medžiaga pateikiama nurodant licencijos turėtoją, suteikusį SKF teisę naudoti medžiagą. Be išankstinio rašytinio SKF sutikimo negalima atgaminti, dubliuoti, kopijuoti, perduoti, platinti, laikyti, keisti, parsisiųsti ar kitaip naudoti komerciniams tikslams informacijos ir programų, kurios prieinamos šioje svetainėje / programoje. Tačiau asmenys ją gali atkurti, laikyti ar parsisiųsti naudoti asmeniškai be išankstinio SKF rašytinio sutikimo. Jokiomis aplinkybėmis šios informacijos ar programų negalima teikti trečiosioms šalims.

Šioje svetainėje / programoje yra tam tikrų pagal „Shutterstock, Inc.“ licenciją naudojamų iliustracijų.

Prekių ženklai ir patentai

Visi prekių ženklai, firminiai pavadinimai ar korporacijų logotipai, pateikti svetainėje / programoje, yra SKF ar jos licencijų teikėjų nuosavybė ir negali niekaip būti naudojami be išankstinio rašytinio SKF sutikimo. Visi licencijas turintys prekių ženklai, paskelbti šioje svetainėje / programoje, nurodo licencijos teikėją, suteikusį SKF teisę naudoti šį prekių ženklą. Įėjimas į šią svetainę / programą nesuteikia naudotojui licencijos pagal patentą, kurią turi ar kurios savininkė yra SKF.

Pakeitimai

SKF pasilieka teisę daryti šios svetainės / programos ar šių sąlygų ir nuostatų pakeitimus bet kuriuo metu.