


NTN BEARING CORPORATION OF AMERICA

Head Office

1600 E. Bishop Court, P.O. Box 7604

Mount Prospect, IL 60056-7604, U.S.A.


Phone: 847-298-7500

Fax: 847-699-9744

Toll Free: 800-323-2358

Email: mkt@ntnamerica.com
Website: www.ntnamericas.com


Item # NK26/16R, Machined-Ring Needle Roller Bearing w/o Inner Ring - RNA49.R, RNA59, RNA69.R, NK.R, MR Series


[Order Now](#) | [Technical Specifications](#) | [Dimensional Specifications](#)
Order Now
Ordering Options
[FIND A DISTRIBUTOR](#)
[CONTACT NTN CUSTOMER SUPPORT SPECIALIST](#)
[ORDER THROUGH NTN DOL \(AUTHORIZED DISTRIBUTORS ONLY\)](#)
Technical Specifications

Type	Needle Roller Bearing
Roller Type	Needle

Configuration	One
Material	High Carbon Chrome Steel
Cage Material	Steel
Limiting Speed - Oil	15000 RPM
Limiting Speed - Grease	10000 RPM
Precision	ISO Class 0
Enclosure	Open
Static Load Rating	5300 lbf 23600 N 23.60 kN
Dynamic Load Rating	3500 lbf 15600 N 15.60 kN
Weight	0.075 lb 0.034 kg
Operating Temperature Range	-40 to 250 °F -40 to 120 °C

Dimensional Specifications



Machined-Ring Needle Roller Bearing w/o Inner Ring - RNA49.R, RNA59, RNA69.R, NK.R, MR Series -
Dimensions

Fw	1.0236 in 26.000 mm
Fw Tolerance	0.033/0.020 mm

D	1.3386 in 34.000 mm
C	0.6299 in 16.000 mm
r	0.0118 in 0.300 mm
Da max	1.2598 in 32.000 mm
ras max	0.0118 in 0.300 mm