

# Bảng thông số sản phẩm

Thông số kỹ thuật



Enclosure, Resi9 MP, flush mounting, 1 row of 8 modules, IP40, white door, 1 earth + 1 neutral terminal blocks

MIP22108

## Main

Range	Resi9
Product name	Resi9 MP
Product or component type	Enclosure
Enclosure type	Modular enclosure
Nb of 18 mm modules per row	8
Nb of horizontal rows	1
Type of door	Plain
Width	198 mm wall: 222 mm outside:
Height	228 mm wall: 252 mm outside:
Depth	18 mm outside: 80 mm wall: 98 mm total:

## Complementary

Enclosure mounting	Flush
9 mm pitches	16
Total number of 18 mm modules	8
[In] rated current	63 A
Type of rail	35 mm asymmetrical rail
Mounting plate description	Without mounting plate
Cable entry	Pre-cutted holes
Terminal block function	Earth / neutral
Number of terminal blocks	1 earth (screwed) with 8 outgoing 1 neutral (screwed) with 8 outgoing
Distribution block outgoing	1 x 16 mm <sup>2</sup> for earth 1 x 16 mm <sup>2</sup> for neutral 3 x 6 mm <sup>2</sup> for earth 3 x 6 mm <sup>2</sup> for neutral 4 x 10 mm <sup>2</sup> for earth 4 x 10 mm <sup>2</sup> for neutral
Enclosure material	Back part: technoplastic Door: technoplastic Front face: technoplastic
Internal depth	76 mm

<b>Colour</b>	Door: white (RAL 9003) Front face: white (RAL 9003)
---------------	--

<b>Market segment</b>	Small commercial Residential
-----------------------	---------------------------------

## Environment

<b>Standards</b>	IEC 61439-1 IEC 61439-3 IEC 60670-1 IEC 60670-24
------------------	---

<b>Quality labels</b>	IMQ
-----------------------	-----

<b>Fire resistance</b>	Door: 650 °C Back part: 650 °C Front face: 650 °C
------------------------	---

<b>IP degree of protection</b>	IP40
--------------------------------	------

<b>IK degree of protection</b>	IK07
--------------------------------	------

<b>Ambient air temperature for operation</b>	-25...60 °C
--	-------------

## Packing Units

<b>Unit Type of Package 1</b>	PCE
-------------------------------	-----

<b>Number of Units in Package 1</b>	1
-------------------------------------	---

<b>Package 1 Height</b>	9.7 cm
-------------------------	--------

<b>Package 1 Width</b>	22.2 cm
------------------------	---------

<b>Package 1 Length</b>	25.2 cm
-------------------------	---------

<b>Package 1 Weight</b>	620.0 g
-------------------------	---------

<b>Unit Type of Package 2</b>	BB1
-------------------------------	-----

<b>Number of Units in Package 2</b>	10
-------------------------------------	----

<b>Package 2 Height</b>	52.0 cm
-------------------------	---------

<b>Package 2 Width</b>	30.0 cm
------------------------	---------

<b>Package 2 Length</b>	40.0 cm
-------------------------	---------

<b>Package 2 Weight</b>	7.7 kg
-------------------------	--------

<b>Unit Type of Package 3</b>	P12
-------------------------------	-----

<b>Number of Units in Package 3</b>	160
-------------------------------------	-----

<b>Package 3 Height</b>	120.0 cm
-------------------------	----------

<b>Package 3 Width</b>	80.0 cm
------------------------	---------

<b>Package 3 Length</b>	120.0 cm
-------------------------	----------

<b>Package 3 Weight</b>	112.8 kg
-------------------------	----------

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
---------------------------------	-----------------------

<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
-------------------------	-----------------------------------

<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
--------------------------	---

<b>Mercury free</b>	Yes
---------------------	-----

<b>China RoHS Regulation</b>	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
------------------------------	---

<b>RoHS exemption information</b>	<a href="#">Yes</a>
-----------------------------------	---------------------

<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
---------------------------------	---

---

Halogen content performance      Halogen free product

### Contractual warranty

---

Warranty      18 months

Thay thế được đề xuất