

Bảng thông số sản phẩm

Thông số kỹ thuật



Enclosure, Resi9 MP, flush mounting, 1 row of 18 modules, IP40, white door, 1 earth + 1 neutral terminal blocks

MIP22118

Main

Range	Resi9
Product name	Resi9 MP
Product or component type	Enclosure
Enclosure type	Modular enclosure
Nb of 18 mm modules per row	18
Nb of horizontal rows	1
Type of door	Plain
Width	378 mm wall: 402 mm outside:
Height	228 mm wall: 252 mm outside:
Depth	18 mm outside: 80 mm wall: 98 mm total:

Complementary

Enclosure mounting	Flush
9 mm pitches	36
Total number of 18 mm modules	18
[In] rated current	63 A
Type of rail	35 mm asymmetrical rail
Mounting plate description	Without mounting plate
Cable entry	Pre-cutted holes
Terminal block function	Earth / neutral
Number of terminal blocks	1 earth (screwed) with 16 outgoing 1 neutral (screwed) with 16 outgoing
Distribution block outgoing	2 x 16 mm ² for earth 2 x 16 mm ² for neutral 6 x 6 mm ² for earth 6 x 6 mm ² for neutral 8 x 10 mm ² for earth 8 x 10 mm ² for neutral
Enclosure material	Back part: technoplastic Door: technoplastic Front face: technoplastic
Internal depth	76 mm

Colour	Door: white (RAL 9003) Front face: white (RAL 9003)
---------------	--------------------------------------------------------

Market segment	Small commercial Residential
-----------------------	---------------------------------

Environment

Standards	IEC 61439-1 IEC 61439-3 IEC 60670-1 IEC 60670-24
------------------	-----------------------------------------------------------

Quality labels	IMQ
-----------------------	-----

Fire resistance	Door: 650 °C Back part: 650 °C Front face: 650 °C
------------------------	---------------------------------------------------------

IP degree of protection	IP40
--------------------------------	------

IK degree of protection	IK07
--------------------------------	------

Ambient air temperature for operation	-25...60 °C
----------------------------------------------	-------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	9.9 cm
-------------------------	--------

Package 1 Width	40.2 cm
------------------------	---------

Package 1 Length	25.2 cm
-------------------------	---------

Package 1 Weight	1.2 kg
-------------------------	--------

Unit Type of Package 2	BB1
-------------------------------	-----

Number of Units in Package 2	5
-------------------------------------	---

Package 2 Height	52.0 cm
-------------------------	---------

Package 2 Width	30.0 cm
------------------------	---------

Package 2 Length	40.0 cm
-------------------------	---------

Package 2 Weight	6.9 kg
-------------------------	--------

Unit Type of Package 3	P12
-------------------------------	-----

Number of Units in Package 3	80
-------------------------------------	----

Package 3 Height	120.0 cm
-------------------------	----------

Package 3 Width	80.0 cm
------------------------	---------

Package 3 Length	120.0 cm
-------------------------	----------

Package 3 Weight	97.6 kg
-------------------------	---------

Offer Sustainability

Sustainable offer status	Green Premium product
---------------------------------	-----------------------

REACH Regulation	REACH Declaration
-------------------------	-----------------------------------

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
--------------------------	---------------------------------------------------------------------------------------------------

Mercury free	Yes
---------------------	-----

China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
------------------------------	-----------------------------------------------------------------------------------------------------------------------

RoHS exemption information	Yes
-----------------------------------	---------------------

Environmental Disclosure	Product Environmental Profile
---------------------------------	-----------------------------------------------

Halogen content performance Halogen free product

Contractual warranty

Warranty 18 months

Thay thế được đề xuất