


## LÔNG ĐÈN NORDLOCK






### Mã vật liệu (V)

AE2	Delta Protekt Zinc Flake Coating
AK0	Inox 316

Mã hàng	Kích thước ren	Vật liệu (V)	d (mm)	D (mm)	h (mm)
W50M030(V)	M3	AE2 - AK0	3.4 (±0.1 mm)	7 (±0.2 mm)	1.8 (±0.25 mm)
W50M035(V)	M3.5	AE2 - AK0	3.9 (±0.1 mm)	7.6 (±0.2 mm)	1.8 (±0.25 mm)
W50M040(V)	M4	AE2 - AK0	4.4 (±0.1 mm)	7.6 (±0.2 mm)	1.8 (±0.25 mm)
W50M050(V)	M5	AE2 - AK0	5.4 (±0.1 mm)	9 (±0.2 mm)	1.8 (±0.25 mm)
W50M060(V)	M6	AE2 - AK0	6.5 (±0.1 mm)	10.8 (±0.2 mm)	1.8 (±0.25 mm)
W50S140(V)	1/4"	AE2 - AK0	7.2 (±0.1 mm)	11.5 (±0.2 mm)	2.5 (±0.25 mm)
W50M080(V)	M8	AE2 - AK0	8.7 (±0.1 mm)	13.5 (±0.2 mm)	2.5 (±0.25 mm)
W50S380(V)	3/8"	AE2 - AK0	10.3 (±0.2 mm)	16.6 (±0.2 mm)	2.5 (±0.25 mm)
W50M100(V)	M10	AE2 - AK0	10.7 (±0.2 mm)	16.6 (±0.2 mm)	2.5 (±0.25 mm)
W50M110(V)	M11	AE2 - AK0	11.4 (±0.2 mm)	18.5 (±0.2 mm)	2.5 (±0.25 mm)
W50M120(V)	M12	AE2 - AK0	13 (±0.2 mm)	19.5 (±0.2 mm)	2.5 (±0.25 mm)
W50S120(V)	1/2"	AE2 - AK0	13.5 (±0.2 mm)	19.5 (±0.2 mm)	2.5 (±0.25 mm)
W50M140(V)	M14	AE2 - AK0	15.2 (±0.2 mm)	23 (±0.2 mm)	3.4 (±0.25 mm)
W50M160(V)	M16	AE2 - AK0	17 (±0.2 mm)	25.4 (±0.2 mm)	3.4 (±0.25 mm)
W50M180(V)	M18	AE2 - AK0	19.5 (±0.2 mm)	29 (±0.2 mm)	3.4 (±0.25 mm)
W50S340(V)	3/4"	AE2 - AK0	20 (±0.2 mm)	30.7 (±0.2 mm)	3.4 (±0.25 mm)
W50M200(V)	M20	AE2 - AK0	21.4 (±0.2 mm)	30.7 (±0.2 mm)	3.4 (±0.25 mm)
W50M220(V)	M22	AE2 - AK0	23.4 (±0.2 mm)	34.5 (±0.2 mm)	3.4 (±0.25 mm)
W50M240(V)	M24	AE2 - AK0	25.3 (±0.2 mm)	39 (±0.2 mm)	3.4 (±0.25 mm)
W50S100(V)	1"	AE2 - AK0	27.9 (±0.2 mm)	39 (±0.2 mm)	3.4 (±0.25 mm)
W50M270(V)	M27	AE2 - AK0	28.4 (±0.2 mm)	42 (±0.3 mm)	5.8 (±0.25 mm)
W50M300(V)	M30	AE2 - AK0	31.4 (±0.2 mm)	47 (±0.3 mm)	5.8 (±0.25 mm)
W50M330(V)	M33	AE2	34.4 (±0.2 mm)	48.5 (±0.3 mm)	5.8 (±0.25 mm)
W50M360(V)	M36	AE2	37.4 (±0.2 mm)	55 (±0.3 mm)	5.8 (±0.25 mm)
W50M390(V)	M39	AE2	40.4 (±0.2 mm)	58.5 (±0.3 mm)	5.8 (±0.25 mm)
W50M420(V)	M42	AE2	43.2 (±0.2 mm)	63 (±0.3 mm)	5.8 (±0.25 mm)
W50M480(V)	M48	AE2	49.6 (+0.5 mm)	75 (-2 mm)	7 (±0.75 mm)
W50M520(V)	M52	AE2	53.6 (+0.5 mm)	80 (-2 mm)	7 (±0.75 mm)
W50M560(V)	M56	AE2	59.1 (+0.5 mm)	85 (-2 mm)	7 (±0.75 mm)
W50M680(V)	M68	AE2	71.1 (+0.5 mm)	100 (-2 mm)	9.5 (±0.75 mm)

## LÔNG ĐÈN NORDLOCK VÀNH RỘNG



### Mã vật liệu (V)

AE2SP	Delta Protekt Zinc Flake Coating
AK0SP	Inox 316

Mã hàng	Kích thước ren	Vật liệu (V)	d (mm)	D (mm)	h (mm)
W50M035(V)	M3.5	AE2SP - AK0SP	3.9 (±0.1 mm)	9 (±0.2 mm)	1.8 (±0.25 mm)
W50M040(V)	M4	AE2SP - AK0SP	4.4 (±0.1 mm)	9 (±0.2 mm)	1.8 (±0.25 mm)
W50M050(V)	M5	AE2SP - AK0SP	5.4 (±0.1 mm)	10.8 (±0.2 mm)	1.8 (±0.25 mm)
W50M060(V)	M6	AE2SP - AK0SP	6.5 (±0.1 mm)	13.5 (±0.2 mm)	2.5 (±0.25 mm)
W50S140(V)	1/4"	AE2SP - AK0SP	7.2 (±0.1 mm)	13.5 (±0.2 mm)	2.5 (±0.25 mm)
W50M080(V)	M8	AE2SP - AK0SP	8.7 (±0.1 mm)	16.6 (±0.2 mm)	2.5 (±0.25 mm)
W50S380(V)	3/8"	AE2SP - AK0SP	10.3 (±0.2 mm)	21 (±0.2 mm)	2.5 (±0.25 mm)
W50M100(V)	M10	AE2SP - AK0SP	10.7 (±0.2 mm)	21 (±0.2 mm)	2.5 (±0.25 mm)
W50M120(V)	M12	AE2SP - AK0SP	13 (±0.2 mm)	25.4 (±0.2 mm)	3.4 (±0.25 mm)
W50S120(V)	1/2"	AE2SP - AK0SP	13.5 (±0.2 mm)	25.4 (±0.2 mm)	3.4 (±0.25 mm)
W50M140(V)	M14	AE2SP - AK0SP	15.2 (±0.2 mm)	30.7 (±0.2 mm)	3.4 (±0.25 mm)
W50M160(V)	M16	AE2SP - AK0SP	17 (±0.2 mm)	30.7 (±0.2 mm)	3.4 (±0.25 mm)
W50M180(V)	M18	AE2SP - AK0SP	19.5 (±0.2 mm)	34.5 (±0.2 mm)	3.4 (±0.25 mm)
W50S340(V)	3/4"	AE2SP - AK0SP	20 (±0.2 mm)	39 (±0.2 mm)	3.4 (±0.25 mm)
W50M200(V)	M20	AE2SP - AK0SP	21.4 (±0.2 mm)	39 (±0.2 mm)	3.4 (±0.25 mm)
W50M220(V)	M22	AE2SP - AK0SP	23.4 (±0.2 mm)	42 (±0.2 mm)	4.6 (±0.25 mm)
W50M240(V)	M24	AE2SP - AK0SP	25.3 (±0.2 mm)	48.5 (±0.2 mm)	4.6 (±0.25 mm)
W50S100(V)	1"	AE2SP - AK0SP	27.9 (±0.2 mm)	48.5 (±0.2 mm)	4.6 (±0.25 mm)
W50M270(V)	M27	AE2SP	28.4 (±0.2 mm)	48.5 (±0.3 mm)	5.8 (±0.25 mm)
W50M360(V)	M36	AE2SP	37.4 (±0.2 mm)	63 (±0.3 mm)	5.8 (±0.25 mm)