

# WRENCHES



## A PROFESSIONAL CHOICE FOR EVERY TASK

Flexibility is the key to an efficient working environment and the **STANLEY® AUTOMOTIVE** range of wrenches have been carefully selected to offer a professional choice to match the job in hand.

Fully certified to ISO and ANSI standards, you can be sure of outstanding performance in any situation.

## INNOVATIVE DESIGN FOR ENHANCED PERFORMANCE

Monitoring tool performance in real working situations, our designers have created uniquely profiled jaws and rings make the range comfortable to use, minimising downtime and keeping jobs on schedule.




**ANSI**  
American National Standards Institute



**ISO**  
Accreditation by independent organization made up of members from the national standards bodies of 164 countries.




**DIN**  
Accredited standards carried out by the German Institute for Standardisation



**ANTI SLIP**  
Profiled jaw ensures secure location of nut or bolt head



**MAXI-DRIVE™**  
Profiled ring grips nut or bolt head securely for maximum torque




**5° RATCHET INCREMENTS**  
For faster driving in restricted spaces

## WRENCH RANGE OVERVIEW

### WRENCH POUCH SET




### COMBINATION WRENCHES



# COMBINATION WRENCHES

## SLIMLINE 9 PIECE COMBINATION WRENCH SET



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-034-1	"Slimline" wrench: 8, 9, 10, 11, 12, 13, 14, 15, 17mm Heavy-duty nylon pouch Inner box	910	20/20
87-033-1	"Slimline" wrench: 10, 11, 12, 13, 14, 15, 16, 17, 19mm Heavy-duty nylon pouch Inner box	1490	16/16

## SLIMLINE 14 PIECE COMBINATION WRENCH SET



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-036-1	"Slimline" wrench: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24mm Heavy-duty nylon pouch Inner box	3600	10/10
87-038-1	"Slimline" wrench: 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 26, 30, 32mm Heavy-duty nylon pouch Inner box	2300	1/6
87-709-1	"Slimline" wrench: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4" Heavy-duty nylon pouch Inner box	10400	1/6

## DOUBLE OPEN END WRENCH SET



- Made of Chrome Vanadium Steel
- Ends are slanted 15° for quick operation
- Two sizes per wrench
- Comprehensive set of open end wrench for the most common sizes
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-718-1 8 pc	"Slimline" wrench: (Metric) 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm Heavy-duty nylon pouch Inner box	590	1/12

## SLIMLINE 8 PIECE COMBINATION WRENCH SET



- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-011-1	"Slimline" wrench: 8, 10, 11, 13, 14, 17, 19, 22mm Heavy-duty nylon pouch Inner box	920	20/20

## 75° OFFSET RING END WRENCH SET



- Double ring wrench chrome vanadium steel
- MaxiDrive™ Plus profile - Attacks on the sides, not the corners of the nut or bolt
- Twelve-edged head for optimal support of hexagonal and square nuts
- Polished and chrome-plated finish for excellent protection
- Heads to 70 ° for greater access in tight spaces
- Powerful and safe working
- Anti-slip feature

SKU #	Contents	Weight (g)	Box/CTN
87-617-3	"Slimline" wrench: (Metric) 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27mm Inner box	2200	10/10

# COMBINATION WRENCHES

## 23 PCS COMBINATION WRENCH SET



- Combination wrench 6mm
- Combination wrench 7mm
- Combination wrench 8mm
- Combination wrench 9mm
- Combination wrench 10mm
- Combination wrench 11mm
- Combination wrench 12mm
- Combination wrench 13mm
- Combination wrench 14mm
- Combination wrench 15mm
- Combination wrench 16mm
- Combination wrench 17mm
- Combination wrench 18mm
- Combination wrench 19mm
- Combination wrench 20mm
- Combination wrench 21mm
- Combination wrench 22mm
- Combination wrench 23mm
- Combination wrench 24mm
- Combination wrench 25mm
- Combination wrench 27mm
- Combination wrench 30mm
- Combination wrench 32mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT33650-8	23 PCS Combination Wrench Set	23	491	115	6.1	1

## 14 PCS COMBINATION WRENCH SET



- Combination wrench 8 mm
- Combination wrench 9 mm
- Combination wrench 10 mm
- Combination wrench 11 mm
- Combination wrench 12 mm
- Combination wrench 13 mm
- Combination wrench 14 mm
- Combination wrench 15 mm
- Combination wrench 16 mm
- Combination wrench 17 mm
- Combination wrench 18 mm
- Combination wrench 19 mm
- Combination wrench 22 mm
- Combination wrench 24 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT33647-8	14 PCS Combination Wrench Set	14	388	87	2.3	1



## 8 PCS COMBINATION WRENCH SET



- Combination wrench 8 mm
- Combination wrench 10 mm
- Combination wrench 11 mm
- Combination wrench 12 mm
- Combination wrench 13 mm
- Combination wrench 14 mm
- Combination wrench 17 mm
- Combination wrench 19 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73649-8	8 PCS Combination Wrench Set	8	324	67	0.93	1

## 6 PCS COMBINATION WRENCH SET



- Combination wrench 10 mm
- Combination wrench 12 mm
- Combination wrench 14 mm
- Combination wrench 17 mm
- Combination wrench 19 mm
- Combination wrench 21 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73648-8	6 PCS Combination Wrench Set	6	351	67	1.04	1

## 6 PCS DOUBLE OPEN END WRENCH SET



- Open-end wrench 6x7 mm
- Open-end wrench 8x10 mm
- Open-end wrench 11x13mm
- Open-end wrench 12x14 mm
- Open-end wrench 17x19 mm
- Open-end wrench 21x23 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73663-8	6 PCS Double Open End Wrench Set	6	321	67	0.96	1

## 6 PCS DOUBLE RING WRENCH SET



- Offset double ring wrench 8x10 mm
- Offset double ring wrench 11x13 mm
- Offset double ring wrench 12x14 mm
- Offset double ring wrench 17x19 mm
- Offset double ring wrench 21x23 mm
- Offset double ring wrench 22x24 mm



SKU #	Description	Qty (mm)	L (mm)	W (mm)	Weight (kg)	Box Qty
STMT73664-8	6 PCS Double Ring Wrench Set	6	406	67	1.41	1

## 10 PCS OFFSET DOUBLE RING MODULE



COMPATIBLE with  
**TRANS  
MODULE**  
system

- Offset double ring wrench 6x7mm
- Offset double ring wrench 8x9mm
- Offset double ring wrench 10x12mm
- Offset double ring wrench 11x13mm
- Offset double ring wrench 12x14mm
- Offset double ring wrench 14x15mm
- Offset double ring wrench 16x17mm
- Offset double ring wrench 18x19mm
- Offset double ring wrench 21x23mm
- Offset double ring wrench 22x24mm



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74177-8	10 PCS Offset Double Ring Module	384	184	45	4

## 16 PCS COMBINATION WRENCH MODULE (CWF)



COMPATIBLE with  
**TRANS  
MODULE**  
system

- Combination wrench 6mm
- Combination wrench 7mm
- Combination wrench 8mm
- Combination wrench 9mm
- Combination wrench 10mm
- Combination wrench 11mm
- Combination wrench 12mm
- Combination wrench 13mm
- Combination wrench 14mm
- Combination wrench 15mm
- Combination wrench 16mm
- Combination wrench 17mm
- Combination wrench 18mm
- Combination wrench 19mm
- Combination wrench 22mm
- Combination wrench 24mm



SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Carton Qty
STMT74178-8	16 PCS Combination Wrench Module (CWF)	384	184	45	4


## 16PCS COMBI WRENCH MODULE SET



- Slim line combination wrench
- Matt finish
- 6 to 24mm size
- Compatible with transmodule

SKU #	Description	Length (mm)	Width (mm)	Height (mm)	Box Qty
STMT74897-8C	16PCS Slimline Combination Wrench Module Set	405	290	60	1

## SLIM LINE COMBINATION WRENCH (CWE)




- DIN 3113, ISO 1711-1, ISO 691
- Maxi-Drive™ system helps reduce fastener rounding
- Slim design for increased accessibility
- Anti-slip design on open-end
- Full polished finishing
- Chrome vanadium steel
- 12-point ring angled at 15°



Retail SKU #	Bulk SKU #	Description	A (mm)	L (mm)	B (mm)	BI (mm)	C (mm)	CI (mm)	Weight (kg)	Box Qty
STMT79101-8	STMT79101-8B	Combination Wrench 6 mm SL	6	100	15.5	10.1	4.0	4.7	0.016	10
STMT79102-8	STMT79102-8B	Combination Wrench 7 mm SL	7	110	17	11.5	4.0	5	0.020	10
STMT79103-8	STMT79103-8B	Combination Wrench 8 mm SL	8	120	19.2	12.8	4.5	5.5	0.025	10
STMT79104-8	STMT79104-8B	Combination Wrench 9 mm SL	9	130	21.2	14.2	4.5	5.9	0.032	10
STMT79105-8	STMT79105-8B	Combination Wrench 10 mm SL	10	140	23.2	15.6	5.0	6.5	0.040	10
STMT79106-8	STMT79106-8B	Combination Wrench 11 mm SL	11	150	25.3	16.9	5.4	6.9	0.049	10
STMT79107-8	STMT79107-8B	Combination Wrench 12 mm SL	12	160	27.2	18.3	5.5	7.3	0.059	10
STMT79108-8	STMT79108-8B	Combination Wrench 13 mm SL	13	170	29.4	19.7	5.9	7.8	0.071	10
STMT79109-8	STMT79109-8B	Combination Wrench 14 mm SL	14	180	31.5	21.2	6.2	8.3	0.089	10
STMT79110-8	STMT79110-8B	Combination Wrench 15 mm SL	15	190	33.2	22.5	6.4	8.6	0.100	10
STMT79111-8	STMT79111-8B	Combination Wrench 16 mm SL	16	200	34.7	24	6.7	8.9	0.114	10
STMT79112-8	STMT79112-8B	Combination Wrench 17 mm SL	17	210	36.5	25.3	6.9	9.3	0.130	10
STMT79113-8	STMT79113-8B	Combination Wrench 18 mm SL	18	220	38.7	26.8	7.2	9.9	0.151	10
STMT79114-8	STMT79114-8B	Combination Wrench 19 mm SL	19	230	40.7	28.1	7.4	10.5	0.172	10
STMT79115-8	STMT79115-8B	Combination Wrench 20 mm SL	20	240	43.1	29.7	7.7	10.9	0.211	10
STMT79116-8	STMT79116-8B	Combination Wrench 21 mm SL	21	250	44.8	31.3	8.0	11.3	0.215	10
STMT79117-8	STMT79117-8B	Combination Wrench 22 mm SL	22	260	46.9	32.6	8.2	11.5	0.235	5
STMT79118-8	STMT79118-8B	Combination Wrench 23 mm SL	23	270	48.3	34.2	8.4	11.8	0.262	5
STMT79119-8	STMT79119-8B	Combination Wrench 24 mm SL	24	280	50.4	35.5	8.7	12.1	0.291	5
-	STMT79120-8B	Combination Wrench 27 mm SL	27	310	55.7	39.6	9.4	13.1	0.383	5
-	STMT79121-8B	Combination Wrench 30 mm SL	30	340	61.8	43.7	10.1	13.7	0.497	5
-	STMT79122-8B	Combination Wrench 32 mm SL	32	360	65.8	46.4	10.4	14.3	0.564	5

# COMBINATION WRENCH (CWF)



- ASME B107.17M, ASME B107.100, ASME B107.6
- Maxi-Drive™ system helps reduce fastener rounding
- Anti-slip design on open-end
- large design
- Matt finishing
- Chrome vanadium steel
- 12-point ring angled at 15°



Retail SKU #	Bulk SKU #	Description	A (mm)	L (mm)	B (mm)	B1 (mm)	C (mm)	Cl (mm)	Weight (kg)	Box Qty
STMT72803-8	STMT72803-8B	Combination Wrench 6 mm	6	101	15.6	11.5	4.5	6.2	0.022	10
STMT72804-8	STMT72804-8B	Combination Wrench 7 mm	7	108	17.3	11.5	4.7	6.6	0.026	10
STMT72805-8	STMT72805-8B	Combination Wrench 8 mm	8	111	19.6	13.9	4.9	6.7	0.031	10
STMT72806-8	STMT72806-8B	Combination Wrench 9 mm	9	123	20.8	16.2	5.1	7.1	0.039	10
STMT72807-8	STMT72807-8B	Combination Wrench 10 mm	10	131	22	16.2	5.5	7.4	0.045	10
STMT72808-8	STMT72808-8B	Combination Wrench 11 mm	11	147	24.2	17.9	6.3	7.9	0.064	10
STMT72809-8	STMT72809-8B	Combination Wrench 12 mm	12	155	25.7	19	6.5	8.3	0.074	10
STMT72810-8	STMT72810-8B	Combination Wrench 13 mm	13	164	27.2	20.3	7.1	8.7	0.087	10
STMT72811-8	STMT72811-8B	Combination Wrench 14 mm	14	182	30.8	22.3	7.7	9.2	0.124	10
STMT72812-8	STMT72812-8B	Combination Wrench 15 mm	15	192	32.4	23.5	8.0	9.7	0.140	10
STMT72813-8	STMT72813-8B	Combination Wrench 16 mm	16	202	34	24.7	8.2	10.3	0.159	10
STMT72814-8	STMT72814-8B	Combination Wrench 17 mm	17	223	37.8	26.9	8.6	10.7	0.193	10
STMT72815-8	STMT72815-8B	Combination Wrench 18 mm	18	234	39.3	28.2	8.8	11.3	0.222	10
STMT72816-8	STMT72816-8B	Combination Wrench 19 mm	19	246	40.8	29.2	9.0	11.8	0.238	10
STMT72817-8	STMT72817-8B	Combination Wrench 20 mm	20	258	42.2	30.5	9.2	12.2	0.263	10
STMT72818-8	STMT72818-8B	Combination Wrench 21 mm	21	271	43.6	31.8	9.5	12.6	0.294	10
STMT72819-8	STMT72819-8B	Combination Wrench 22 mm	22	296	46	33.8	10.0	13.1	0.361	5
STMT72820-8	STMT72820-8B	Combination Wrench 23 mm	23	308	47.5	34.9	10.4	13.5	0.385	5
STMT72821-8	STMT72821-8B	Combination Wrench 24 mm	24	321	49	36	10.8	13.9	0.435	5
-	STMT72822-8B	Combination Wrench 25 mm	27	343	52	38.1	11.5	14.6	0.516	5
-	STMT72823-8B	Combination Wrench 26 mm	30	343	52	38.1	11.5	14.6	0.506	5
-	STMT72824-8B	Combination Wrench 27 mm	32	375	56	40.5	12.5	15.7	0.516	5
-	STMT72825-8B	Combination Wrench 28 mm	28	395	58	42.8	13.2	16.7	0.723	5
-	STMT72826-8B	Combination Wrench 29 mm	29	395	58	42.8	13.2	16.7	0.72	5
-	STMT72827-8B	Combination Wrench 30 mm	30	395	58	42.8	13.2	16.7	0.703	5
-	STMT72828-8B	Combination Wrench 32 mm	32	429	65.7	47.4	14.0	18.7	0.963	5




“ THE PATENTED ANTI-SLIP FEATURE ON THE COMBINATION WRENCH HAS DEFINITELY SAVED MY KNUCKLES MORE TIMES THAN I CAN COUNT. THOSE IN OUR INDUSTRY KNOW HOW IMPORTANT THIS INJURY-PROOF CHARACTERISTIC IS. ”

WRENCHES



## SLIMLINE COMBINATION WRENCH




- Made of Chrome Vanadium Steel
- Both the open ended head and the ring are angled at 15° for optimum accessibility
- Nickel chrome plating protects against corrosion
- Slim pattern
- MaxiDrive™ and anti-slip open ended jaw shape maintains grip on fastener with only slight rotational pressure
- Anti-slip feature

SKU #	Size	L mm	A mm	B mm	C mm	D mm	H mm	T mm	Box/CTN
87-660-1	1/4"	100.0	4.7	10.1	4.0	15.5	7.1	2.7	6/72
87-661-1	5/16"	120.0	5.5	12.8	4.5	19.2	8.4	3.0	6/90
87-662-1	3/8"	140.0	6.5	15.6	5.0	23.2	9.6	3.5	6/72
87-663-1	7/16"	150.0	6.9	16.9	5.4	25.3	10.4	3.7	6/90
87-664-1	1/2"	170.0	7.8	19.7	5.9	29.4	12.1	4.1	6/90
87-665-1	9/16"	180.0	8.3	21.2	6.2	31.5	12.9	4.4	6/54
87-666-1	5/8"	200.0	8.9	24.0	6.7	34.7	13.9	4.8	6/54
87-667-1	11/16"	210.0	9.3	25.3	6.9	36.5	14.6	5.0	6/54
87-668-1	3/4"	230.0	10.5	28.1	7.4	40.7	15.9	5.4	6/60
87-669-1	13/16"	250.0	11.3	31.3	8.0	44.8	17.3	5.7	4/24
87-670-1	7/8"	260.0	11.5	32.6	8.2	46.9	18.0	5.8	4/24
87-671-1	15/16"	280.0	12.1	35.5	8.7	50.4	19.5	6.0	4/24
87-672-1	1"	290.0	12.5	36.9	8.9	52.0	20.1	6.2	4/24
87-673-1	1-1/16"	310.0	13.1	39.6	9.4	55.7	21.8	6.6	4/24
87-674-1	1-1/8"	330.0	13.3	40.9	9.7	57.6	22.5	6.8	2/12
87-675-1	1-1/4"	360.0	14.3	46.4	10.4	65.8	24.8	7.3	2/12

SKU #	Size	L mm	A mm	B mm	C mm	D mm	H mm	T mm	Box /CTN
87-424-1	5	95.0	4.1	8.9	3.5	13.6	6.2	2.4	6/72
87-429-1	5.5	95.0	4.1	8.9	3.5	13.6	6.2	2.4	6/72
87-066	6	100.0	4.7	10.1	4.0	15.5	7.1	2.7	6/72
87-057	7	110.0	5.0	11.5	4.0	17.0	7.8	2.8	6/90
87-058	8	120.0	5.5	12.8	4.5	19.2	8.4	3.0	6/90
87-069	9	130.0	5.9	14.2	4.5	21.2	9.0	3.3	6/72
87-070	10	140.0	6.5	15.6	5.0	23.2	9.6	3.5	6/72
87-071	11	150.0	6.9	16.9	5.4	25.3	10.4	3.7	6/72
87-072	12	160.0	7.3	18.3	5.5	27.2	11.3	3.9	6/72
87-073	13	170.0	7.8	19.7	5.9	29.4	12.1	4.1	6/54
87-074	14	180.0	8.3	21.2	6.2	31.5	12.9	4.4	6/54
87-075	15	190.0	8.6	22.5	6.4	33.2	13.5	4.6	6/54
87-076	16	200.0	8.9	24.0	6.7	34.7	13.9	4.8	6/54
87-077	17	210.0	9.3	25.3	6.9	36.5	14.6	5.0	6/54
87-078	18	220.0	9.9	26.8	7.2	38.7	15.3	5.2	6/54
87-079	19	230.0	10.5	28.1	7.4	40.7	15.9	5.4	6/60
87-080	20	240.0	10.9	29.7	7.7	43.1	16.8	5.6	4/24
87-081	21	250.0	11.3	31.3	8.0	44.8	17.3	5.7	4/24
87-082	22	260.0	11.5	32.6	8.2	46.9	18.0	5.8	4/24
87-083	23	270.0	11.8	34.2	8.4	48.3	18.7	5.9	4/24
87-084	24	280.0	12.1	35.5	8.7	50.4	19.5	6.0	4/24
87-085-1	25	290.0	12.5	36.9	8.9	52.0	20.1	6.2	4/24
87-086-1	26	300.0	12.8	38.2	9.2	53.6	21.0	6.4	4/24
87-087	27	310.0	13.1	39.6	9.4	55.7	21.8	6.6	4/24
87-088-1	28	320.0	13.3	40.9	9.7	57.6	22.5	6.8	2/12
87-089-1	29	330.0	13.5	42.3	9.9	59.7	23.3	7.0	2/12
87-090	30	340.0	13.7	43.7	10.1	61.8	23.9	7.1	2/12
87-092	32	360.0	14.3	46.4	10.4	65.8	24.8	7.3	2/12
87-263	33	408.0	14.5	11.0	48.0	62	23.0	11.0	1/30
87-264	34	408.0	14.5	11.0	48.0	62	23.0	11.0	1/25
87-265	35	430.0	17.0	15.0	56.5	70	26.0	12.0	1/25
87-266	36	430.0	17.0	15.0	56.5	70	26.0	12.0	1/25
87-268	38	460.0	17.0	15.0	56.5	70	26.0	12.0	1/20
87-271	41	490.0	19.0	16.5	65.0	83	29.0	14.0	1/15
87-272	42	490.0	19.0	16.5	65.0	83	29.0	14.0	1/15
87-276	46	540.0	19.0	16.5	65.0	83	29.0	14.0	1/15
87-278	48	563.0	24.0	19.0	72.5	94	35.0	15.0	1/10
87-280	50	587.0	24.0	19.0	72.5	94	35.0	15.0	1/10

## OPEN END WRENCH




- Made of Chrome Vanadium Steel
- Ends are slanted 15° for quick operation
- Two sizes per wrench
- Anti-slip feature

SKU #	Size	L mm	A mm	B mm	C mm	H mm	T mm	Weight (g)	Box/CTN
87-096-1	6x7	122.0	16.2	18.1	3.3	8.6	2.2	25	6/90
87-097-1	8x9	140.0	20.2	22.2	3.6	10.7	2.5	35	6/120
84-758	8x10	140.0	20.2	22.2	3.6	10.7	2.5	43	20/500
87-098-1	10x11	156.0	23.6	25.6	4.6	11.7	3.0	50	20/200
84-759	10x12	156.0	23.6	25.6	4.6	11.7	3.0	63	20/200
87-099-1	12x13	172.0	27.4	28.6	5.1	12.7	3.4	75	20/200
84-760	12x14	180.0	28.6	31.6	5.1	13.7	3.8	90	20/200
87-100-1	14x15	188.0	31.5	34.0	5.6	14.2	3.8	105	20/200
84-764	14x17	188.0	31.5	34.0	5.6	14.2	3.8	130	20/200
87-101-1	16x17	204.0	36.1	38.4	6.1	15.8	4.3	155	20/100
84-765	17x19	220.0	38.6	42.1	6.5	16.8	4.7	173	12/120
87-102-1	18x19	220.0	38.6	42.1	6.5	16.8	4.7	190	12/120
84-766	19x21	234.0	42.0	46.1	7.2	18.3	4.8	205	12/60
87-103-1	20x22	234.0	42.0	46.1	7.2	18.3	4.8	220	12/60
87-104-1	21x23	247.0	45.4	48.6	7.5	19.3	4.8	245	12/60
84-767	22x24	247.0	45.4	48.6	7.5	19.3	4.8	275	12/60
87-105-1	24x27	266.0	50.8	56.3	8.2	20.8	5.4	305	4/32
87-106-1	25x28	285.0	53.8	62.3	8.4	22.4	5.6	340	2/36
87-107-1	30x32	302.0	60.3	65.3	9.1	24.4	6.1	465	2/32

SKU #	Size	L mm	A mm	B mm	C mm	H mm	T mm	Weight (g)	Box/CTN
87-676-1	1/4"x5/16"	123.0	15.5	18.0	3.7	8.0	2.9	25	6/72
87-677-1	5/16"x3/8"	140.0	20.4	22.7	4.0	10.2	3.1	35	6/120
87-678-1	3/8"x7/16"	156.0	24.9	27.1	5.0	11.7	3.4	50	6/72
87-679-1	7/16"x1/2"	172.0	29.2	31.2	5.5	13.1	3.8	75	6/90
87-705-1	1/2"x9/16"	180.0	31.3	33.3	5.5	14.0	4.0	85	6/90
87-680-1	9/16"x5/8"	188.5	33.3	35.3	5.9	14.8	4.1	105	6/48
87-681-1	5/8"x11/16"	204.0	37.1	38.9	6.3	15.6	4.4	155	6/54
87-682-1	11/16"x3/4"	221.0	40.9	42.8	6.7	16.6	4.6	190	6/24
87-683-1	13/16"x7/8"	237.0	44.8	48.8	7.1	18.5	4.9	220	6/48
87-706-1	15/16"x1"	255.0	50.8	56.8	7.9	21.4	5.3	270	4/32
87-684-1	15/16"x1-1/16"	263.0	52.8	59.1	8.1	22.1	5.4	305	4/24
87-685-1	1"x1-1/8"	279.0	54.8	61.3	8.5	23.0	5.7	340	2/12
87-686-1	1-1/8"x1-1/4"	298.0	65.4	69.8	9.0	24.6	6.0	465	2/12


## OPEN END WRENCH



- Chrome-vanadium special heat-treat provides a strong thin wall
- 72-teeth ratcheting system provides high torque and 5° of operation in tight areas
- An unique 15° offset design enables access to countersink bolts
- Worldwide patent

SKU #	Size	D1 mm	D2 mm	T1 mm	T2 mm	L mm	Box/CTN
79-064-S	8	18.0	17.0	7.4	4.7	144	10/100
79-065-S	9	19.5	18.8	7.4	5.3	150	10/100
79-066-S	10	21.0	21.7	8.4	5.7	158	10/100
79-067	11	22.0	23.0	8.4	6.1	165	10/100
79-068-S	12	23.5	25.2	8.4	6.4	173	10/100
79-069-S	13	25.0	26.5	8.4	6.6	182	10/100
79-070-S	14	26.5	29.5	8.4	7.3	190	10/100
79-071	15	28.0	31.3	8.4	7.5	202	10/100
79-072	16	29.0	33.4	10.0	7.7	215	10/100
79-073	17	30.5	36.3	10.0	7.9	229	10/100
79-074	18	32.0	38.0	11.5	8.4	240	10/100
79-075	19	34.0	39.0	11.5	8.7	252	10/100

## DOUBLE OPEN-END WRENCH




- ASME B107.17M, ASME B107.100, ASME B107.39
- Anti-slip design on open-end
- Matt finishing
- Chrome Vanadium steel



Retail SKU #	Bulk SKU #	Description	A (mm)	A1 (mm)	L (mm)	B (mm)	B1 (mm)	C (mm)	C1 (mm)	Weight (kg)	Box Qty
STMT72837-8	STMT72837-8B	Open-End Wrench 6X7 mm	6	7	108.2	14.4	17.3	5.0	5.3	0.024	10
STMT72838-8	STMT72838-8B	Open-End Wrench 7X9 mm	7	9	128.2	17.7	19.8	5.4	5.7	0.035	10
STMT72839-8	STMT72839-8B	Open-End Wrench 8X10 mm	8	10	128.8	17.7	19.8	5.4	5.7	0.035	10
STMT72840-8	STMT72840-8B	Open-End Wrench 10X12 mm	10	12	133.0	21.1	24.4	5.9	6.2	0.051	10
STMT72841-8	STMT72841-8B	Open-End Wrench 10X11 mm	10	11	133.0	21.1	24.4	5.9	6.2	0.051	10
STMT72842-8	STMT72842-8B	Open-End Wrench 11X13mm	11	13	146.2	24.8	27.8	6.6	6.9	0.075	10
STMT72843-8	STMT72843-8B	Open-End Wrench 12X14 mm	12	14	156.8	27.8	31.1	7.8	8.2	0.110	10
STMT72844-8	STMT72844-8B	Open-End Wrench 12X13 mm	12	13	146.2	24.8	27.8	6.6	6.9	0.075	10
STMT72845-8	STMT72845-8B	Open-End Wrench 14X15 mm	14	15	179.0	31.1	34.4	7.8	8.2	0.133	10
STMT72846-8	STMT72846-8B	Open-End Wrench 14X17mm	14	17	179.0	31.1	34.4	7.8	8.2	0.133	10
STMT72847-8	STMT72847-8B	Open-End Wrench 16X17mm	16	17	198.1	34.4	37.8	8.3	8.7	0.176	10
STMT72848-8	STMT72848-8B	Open-End Wrench 18X19mm	18	19	221.9	37.8	41.1	8.6	9.0	0.218	10
STMT72849-8	STMT72849-8B	Open-End Wrench 17X19 mm	17	19	221.9	37.8	41.1	8.6	9.0	0.219	10
STMT72850-8	STMT72850-8B	Open-End Wrench 19X21mm	19	21	237.7	41.1	47.8	10.0	10.4	0.317	10
STMT72851-8	STMT72851-8B	Open-End Wrench 20X22 mm	20	22	237.7	41.1	47.8	10.0	10.4	0.315	10
STMT72852-8	STMT72852-8B	Open-End Wrench 21X23 mm	21	23	253.2	44.4	47.8	10.5	10.9	0.353	10
STMT72853-8	STMT72853-8B	Open-End Wrench 22X24 mm	22	24	253.2	44.4	47.8	10.5	10.9	0.351	10
-	STMT72854-8B	Open-End Wrench 24X26 mm	24	26	271.9	51.1	52.8	10.9	11.3	0.452	5
-	STMT72856-8B	Open-End Wrench 27X32mm	27	32	340.0	56.0	67.0	12.6	13.0	0.745	5

## OFFSET COMBINATION WRENCH




- DIN 3133 B, DIN 17350, ISO 1711
- Chrome vanadium steel
- Matt finishing
- 70° Off-set



SKU #	Description	A (mm)	L (mm)	B (mm)	B' (mm)	C (mm)	C' (mm)	Weight (kg)	Box Qty
86-0430	Offset Combination Wrench 30mm	30	382.5	61.5	42	9.9	14.4	0.630	2
86-0432	Offset Combination Wrench 32mm	32	404	66	44.5	10.1	15.2	0.779	2
86-0436	Offset Combination Wrench 36mm	36	449	76	53.1	13.1	21.8	1.390	2

## OFFSET DOUBLE RING WRENCH




- ASME B107.17M, ASME B107.100, ASME, B107.9
- Maxi-Drive™ system helps reduce fastener rounding
- Matt finishing
- Chrome vanadium steel
- 45° Off-set



Retail SKU #	Bulk SKU #	Description	Size (mm)	L (mm)	A (mm)	AI (mm)	B (mm)	BI (mm)	C (mm)	CI (mm)	Weight (kg)	Box Qty
STMT72857-8	STMT72857-8B	Offset Double Ring Wrench - 6x7	6x7	161.8	6.1	8	11	11.8	6.2	6.2	0.04	10
STMT72858-8	STMT72858-8B	Offset Double Ring Wrench - 8x9	8x9	178.8	8	9.5	13.6	14.4	6.7	6.7	0.05	10
STMT72859-8	STMT72859-8B	Offset Double Ring Wrench - 8x10	8x10	178.8	8	9.5	13.6	14.4	6.7	6.7	0.05	10
STMT72860-8	STMT72860-8B	Offset Double Ring Wrench - 10x12	10x12	195.8	9.5	11	15.5	17.9	7.2	7.2	0.07	10
STMT72861-8	STMT72861-8B	Offset Double Ring Wrench - 11x13	11x13	214.8	11	12.6	17.9	20.3	8.3	8.3	0.10	10
STMT72862-8	STMT72862-8B	Offset Double Ring Wrench - 12x14	12x14	230.8	12.6	14	20.3	23.2	9.5	9.5	0.12	10
STMT72863-8	STMT72863-8B	Offset Double Ring Wrench - 14x15	14x15	246.8	14	15.8	23.2	24.8	10.3	10.3	0.17	10
STMT72864-8	STMT72864-8B	Offset Double Ring Wrench - 14x17	14x17	246.8	14	15.8	23.2	24.8	10.3	10.3	0.15	10
STMT72865-8	STMT72865-8B	Offset Double Ring Wrench - 16x17	16x17	255.8	15.8	17.2	24.6	26.1	10.8	10.8	0.18	10
STMT72867-8	STMT72867-8B	Offset Double Ring Wrench - 18x19	18x19	295.8	17.2	19	26.1	28.5	12.2	12.2	0.26	5
STMT72868-8	STMT72868-8B	Offset Double Ring Wrench - 19x21	19x21	310.8	19	22.1	28.5	33.4	17	17	0.33	5
STMT73575-8	STMT73575-8B	Offset Double Ring Wrench - 21x23	21x23	320.8	20.7	22.1	30.7	33.4	18	18	0.39	5
STMT72869-8	STMT72869-8B	Offset Double Ring Wrench - 22x24	22x24	320.8	20.7	22.1	30.7	33.4	18	18	0.38	5
-	STMT72870-8B	Offset Double Ring Wrench - 24x27	24x27	350.8	23.7	25.4	35.1	36.8	20	20	0.48	5

## RATCHETING WRENCH




- ISO 1711-1, ISO 691, DIN 3113
- Maxi-Drive™ system helps reduce fastener rounding
- 5° increment
- Chrome vanadium steel
- Full polished finishing



SKU #	Description	Jaw (mm)	L (mm)	B (mm)	BI (mm)	C (mm)	CI (mm)	Weight (kg)	Box Qty
STMT89934-8B	Ratcheting Wrench 8 mm	8	111.6	19.4	16.8	19.4	7	0.028	10
STMT89935-8B	Ratcheting Wrench 9 mm	9	123.6	20.7	19	20.6	7.3	0.04	10
STMT89936-8B	Ratcheting Wrench 10 mm	10	131.2	21.9	20	21.7	7.8	0.048	10
STMT80012-8B	Ratcheting Wrench 11 mm	11	148.2	24.2	20.8	24.3	8.2	0.062	10
STMT89937-8B	Ratcheting Wrench 12 mm	12	155.2	25.7	23	25.4	8.7	0.08	10
STMT89938-8B	Ratcheting Wrench 13 mm	13	162.5	27.2	25	27.2	9	0.086	10
STMT89939-8B	Ratcheting Wrench 14 mm	14	182.4	30.8	27	30.7	9.5	0.12	10
STMT89940-8B	Ratcheting Wrench 15 mm	15	192.2	32.2	28	32.1	9.9	0.134	10
STMT89941-8B	Ratcheting Wrench 16 mm	16	202.2	34	30	33.8	10.4	0.15	10
STMT89942-8B	Ratcheting Wrench 17 mm	17	222.5	37.7	31.7	37.5	10.8	0.18	10
STMT89943-8B	Ratcheting Wrench 18 mm	18	234.1	39.1	32.9	39.3	11.2	0.2	10
STMT89944-8B	Ratcheting Wrench 19 mm	19	246.1	41.3	34	40.5	11.6	0.222	10



## ADJUSTABLE WRENCH




- ASME B107.100, ASME B107.8
- Adjustable jaw design allows tool to grip many fastener sizes
- Knurl adjusting mechanism for quick and precise adjustments
- Built-in tension spring stabilizes movable jaw
- Forged chrome vanadium steel is strong and durable
- Polished chrome head and chrome-plated body for anti-corrosion protection
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Lightweight handle design



SKU #	Description	A (mm)	L (mm)	B (mm)	Weight (kg)	Box Qty
87-430-1-5	Adj. Wrench 100mm	-	100mm / 4"	-	-	6
STMT87431-8	Adj. Wrench 150mm	≤19.3	150mm / 6"	19	0.14	6
STMT87432-8	Adj. Wrench 200mm	≤24	200mm / 8"	24	0.28	6
STMT87433-8	Adj. Wrench 250mm	≤30	250mm / 10"	29	0.41	6
STMT87434-8	Adj. Wrench 300mm	≤36	300mm / 12"	34	0.71	6
STMT87435-8	Adj. Wrench 375mm	≤46	375mm / 15"	43	1.42	4

## T - HANDLE



- ASME B107.5M, DIN 3124, ISO 691
- Cr-V steel
- Full polished finishing
- For deep access
- Thin wall socket design



SKU #	Description	Size (mm)	L (mm)	A (mm)	Weight (kg)	Box Qty
STMT93302-8	T-handle 8mm	8	310	200	0.306	10
STMT93303-8	T-handle 9mm	9	310	200	0.312	10
STMT93304-8	T-handle 10mm	10	310	200	0.32	10
STMT93305-8	T-handle 11mm	11	310	200	0.322	10
STMT93306-8	T-handle 12mm	12	310	200	0.326	10
STMT93307-8	T-handle 13mm	13	310	250	0.36	10
STMT93308-8	T-handle 14mm	14	310	250	0.374	10
STMT93309-8	T-handle 17mm	17	310	250	0.552	10
STMT93311-8	T-handle 19mm	19	310	250	0.564	10