


Bảng thông số sản phẩm

Thông số kỹ thuật



Enclosure, Resi9 MP, flush mounting, 2 rows of 12 modules, IP40, white door, 1 earth + 1 neutral terminal blocks

MIP22212

Main

Range	Resi9
Product name	Resi9 MP
Product or component type	Enclosure
Enclosure type	Modular enclosure
Nb of 18 mm modules per row	12
Nb of horizontal rows	2
Type of door	Plain
Width	270 mm wall: 294 mm outside:
Height	353 mm wall: 377 mm outside:
Depth	18 mm outside: 80 mm wall: 98 mm total:

Complementary

Enclosure mounting	Flush
9 mm pitches	24
Total number of 18 mm modules	24
[In] rated current	63 A
Type of rail	35 mm asymmetrical rail
Mounting plate description	Without mounting plate
Cable entry	Pre-cutted holes
Terminal block function	Earth / neutral
Number of terminal blocks	1 earth (screwed) with 16 outgoing 1 neutral (screwed) with 16 outgoing
Distribution block outgoing	2 x 16 mm ² for earth 2 x 16 mm ² for neutral 6 x 6 mm ² for earth 6 x 6 mm ² for neutral 8 x 10 mm ² for earth 8 x 10 mm ² for neutral
Enclosure material	Back part: technoplastic Door: technoplastic Front face: technoplastic
Internal depth	76 mm

Colour	Door: white (RAL 9003) Front face: white (RAL 9003)
---------------	--

Market segment	Small commercial Residential
-----------------------	---------------------------------

Environment

Standards	IEC 61439-1 IEC 61439-3 IEC 60670-1 IEC 60670-24
------------------	---

Quality labels	IMQ
-----------------------	-----

Fire resistance	Door: 650 °C Back part: 650 °C Front face: 650 °C
------------------------	---

IP degree of protection	IP40
--------------------------------	------

IK degree of protection	IK07
--------------------------------	------

Ambient air temperature for operation	-25...60 °C
--	-------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Number of Units in Package 1	1
-------------------------------------	---

Package 1 Height	9.000 cm
-------------------------	----------

Package 1 Width	29.500 cm
------------------------	-----------

Package 1 Length	37.500 cm
-------------------------	-----------

Package 1 Weight	1.412 kg
-------------------------	----------

Unit Type of Package 2	BB1
-------------------------------	-----

Number of Units in Package 2	5
-------------------------------------	---

Package 2 Height	30.500 cm
-------------------------	-----------

Package 2 Width	40.500 cm
------------------------	-----------

Package 2 Length	53.500 cm
-------------------------	-----------

Package 2 Weight	7.948 kg
-------------------------	----------

Unit Type of Package 3	P12
-------------------------------	-----

Number of Units in Package 3	80
-------------------------------------	----

Package 3 Height	122.000 cm
-------------------------	------------

Package 3 Width	80.000 cm
------------------------	-----------

Package 3 Length	120.000 cm
-------------------------	------------

Package 3 Weight	139.168 kg
-------------------------	------------

Offer Sustainability

Sustainable offer status	Green Premium product
---------------------------------	-----------------------

REACH Regulation	REACH Declaration
-------------------------	-----------------------------------

EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
--------------------------	---

Mercury free	Yes
---------------------	-----

China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
------------------------------	---

RoHS exemption information	Yes
-----------------------------------	---------------------

Environmental Disclosure	Product Environmental Profile
---------------------------------	---

Halogen content performance

Halogen free product

Contractual warranty

Warranty

18 months

Thay thế được đề xuất